

Table 60-7 Temporary Fall Seeding


Plant Species	Rate (lb/acre)	Seeding Times
Side-Oats	65	8/16 - 9/30
Winter Rye	50	8/01 - 10/15
Winter Wheat	60	8/01 - 10/15
Orchard Grass	120	8/01 - 10/15
Perennial Ryegrass	80	8/01 - 10/15
Tall fescue, Smooth Brome	80	8/01 - 10/15
K-31 Fescue	120	9/01 - 11/15
Ladino Clover	2 ²	8/15 - 9/15
Crimson Clover	6 ²	8/15 - 9/15
Orchard Grass and Oats or Rye	15 ² / 40 ²	8/15 - 9/15

Table 60-8 Temporary Spring Seeding

Plant Species	Rate (lb/acre)	Seeding Dates
Winter Rye	50	3/15 - 5/31
Spring Oats	65	3/15 - 5/31
Annual Ryegrass	4 ²	3/15 - 6/15
Sudangrass	16 ²	4/15 - 6/15
K-31 Fescue	30 ²	3/15 - 5/31
Red Clover	2 ²	3/15 - 5/31
Oats	30 ²	3/15 - 5/31

Table 60-5 Soil Stabilization Schedule













Required Stabilization Time	Soil Disturbance Activity or Condition
14 days	Soil disturbance has ceased in areas greater than 2,000 square feet.
5 days	After construction of dikes, swales, diversions, and other concentrated flow areas.
7 days	When slopes are steeper than 3 horizontal to 1 vertical.
14 days	When slopes are greater than 3% and longer than 150 feet.
30 days	Stabilization controls around soil stockpiles.
30 days	When land disturbance is completed, permanent soil stabilization must be installed.



ScourStop® Transition Mats

ScourStop® Transition Mats are an engineered, proven, bio-technical alternative to traditional hard-arm systems. ScourStop® Transition Mats are manufactured of a semi-rigid HDPE. When combined with soft-arm soil cover and deep-soil earth anchors, the ScourStop® system mechanically protects soil from severe scour and erosion. The ScourStop® system offers greater protection than vegetation alone or rip rap and is lab tested and field proven to protect against considerably higher shear stresses and velocities. ScourStop® Transition Mats provide a permanent, low-maintenance solution with immediate, dynamic protection and impact resistance over highly erosive areas such as stormwater outfalls, curb outfalls, overflow structures, drainage channels, levees, and shorelines. ScourStop® Transition Mats conform to the property values listed below.

PROPERTY	TEST METHOD	ENGLISH	METRIC
Permeability	ASTM D666	0.40 in ²	4.999 in ²
Thickness	ASTM D2025	0.40 in	11.730 mm
Wet Weight Tensile Strength	ASTM D666	8003 lbs/in	4.139 kN/m
Percent Elongation	ASTM D666	90%	90%
UV Stability	ASTM D666	87%	87%
Marring	Calculated	0.09	0.09
Curb Outfall Test Exit Velocity Discharge	Photograph	16 ft/sec	4.877 m/sec
Velocity Day 1 Performance Fully Vegetated	Flume Testing ASTM D666	19 ft/sec	5.791 m/sec
Shear Day 1 Performance Fully Vegetated	Flume Testing ASTM D666	13.24 ft/sec	63.472 kN/m ²



ST DOMINIC HIGH SCHOOL
 SEVERAL TRACTS OF LAND BEING U.S. SURVEY 55,
 TOWNSHIP 47 NORTH, RANGE 3 EAST,
 CITY OF FALLON,
 ST. CHARLES COUNTY, MISSOURI
IMPROVEMENT PLANS

St. Peters
 22 Richmond Center Court
 St. Peters, MO 63376
 Phone (636) 397-1211
 Fax (636) 397-1104
 www.prs3.com

Pickett Ray & Silver
 Civil Engineering & Land Surveying
 Beyond Standard

Owner Information:
 Archdiocese of St. Louis
 20 Archbishop May Dr
 St. Louis, MO 63119

City of O'Fallon Improvement Plans

P+Z No: SP19-000018
 Approval Date: 6/6/2019
 City No: 19-005347

Page No. DETAILS
 11 of 11