


15 YR., 20 MIN. STORM		EXISTING CONDITIONS				
SYSTEM	DRAINAGE AREA NUMBER	ADDED DRAINAGE AREA (ACRES)	RUNOFF FACTOR (CFS/AC)	OFFSITE ADDED FLOW (CFS)	ONSITE ADDED FLOW (CFS)	OUTGOING FLOW (CFS)
9a	1	0.2476	3.85	0.95		
9a	2	0.0052	1.87		0.01	
9a	3	0.0111	3.85		0.04	
9a	4	0.0708	1.87		0.13	
9a	5	0.0029	1.87		0.01	
9a	6	0.0104	3.85		0.04	
9a	7	3.5324	1.87		6.61	7.79
9b	8	0.0194	3.85		0.07	
9b	9	5.6243	1.87		10.52	10.59
10	10	0.1305	1.87	0.24		
10	11	1.5119	1.87		2.83	3.07
11	12	0.9358	1.87		1.75	
11	13	0.0375	3.85		0.14	
11	14	0.1269	1.87		0.24	2.13
12	15	0.0029	3.85		0.01	
12	16	0.0397	1.87		0.07	
12	17	0.0631	1.87		0.12	
12	18	0.0898	3.85		0.35	0.55
FLOW OFFSITE SUM		12.4622		1.20	22.94	24.13





NO.	DESCRIPTION	DATE
-----	-------------	------

REVISIONS



**STRUCTURAL SYSTEMS, INC.**

DESIGN CONTRACTORS



(314) 966 - 5920  
 616 South Kirkwood Road  
 St. Louis, Missouri 63122

New Construction for:  
**TRUE & TRUE**  
 650 Hoff Road  
 O'Fallon, MO 63366  
 (636) 272-1100

WATERSHED PLAN and TABLE - EXISTING CONDITIONS

DRAWN: L.W.L. (R & J)  
 CHECKED: R.R.R.  
 SCALE: 1"=40'-0"  
 ISSUE DATE: 10/31/01  
 S.S.I. JOB NUMBER: 01-005  
 DRAWING NUMBER:

C7 of 11

C:\Users\lwl\Documents\AutoCAD Files\AutoCAD Files\Fitness 0\Fallon\Civil\Fitness (10095-L7) dwg Mod Feb 06 09:51:17 2002