



PROPERTY N/F
WHISPERING WOODS HOMEOWNERS ASSOCIATION
3932/1401
PARCEL ID: 2-0119-9586-00-000A.0000000
CITY OF O'FALLON
ZONED: R-1 SINGLE FAMILY RESIDENTIAL DISTRICT
PUD PLANNED UNIT DEVELOPMENT


WINDSONG PLAT FOUR
P.B. 30, PGS. 395-396

PROPERTY N/F
WINDSONG HOMEOWNERS ASSOCIATION INC.
2111/1461
PARCEL ID: 2-0119-6332-00-000A.0000000
CITY OF O'FALLON
ZONED: R-1 SINGLE FAMILY RESIDENTIAL DISTRICT
PUD PLANNED UNIT DEVELOPMENT

PROPERTY N/F
QUEVREUX DAVID E. & QUEVREUX EULA B. FAMILY
REVOCABLE LIVING TRUST
6434/0327
PARCEL ID: 2-0119-1766-00-0024.0000000
CITY OF O'FALLON
ZONED: R-1 SINGLE FAMILY RESIDENTIAL DISTRICT
PUD PLANNED UNIT DEVELOPMENT



STABILIZED CONSTRUCTION ENTRANCE



CONSTRUCTION SPECIFICATIONS

1. Stone Size - Use 2" stone, or reclaimed or recycled concrete equivalent.
2. Length - As required, but not less than 50 feet (except on a single residence lot where a 30 foot minimum length would apply).
3. Thickness - Not less than six (6) inches.
4. Width - Twenty (20) foot minimum, but not less than the full width at points where ingress or egress occurs.
5. Filter Cloth - Will be placed over the entire area prior to placing of stone. Filter will not be required on a single family residence lot.
6. Surface Water - All surface water flowing or diverted toward construction entrances shall be piped across the entrance. If piping is impractical, a mountable berm with 5:1 slopes will be permitted.
7. Maintenance - The entrance shall be maintained in a condition which will prevent tracking or flowing of sediment onto public rights-of-way. This may require periodic top dressing with additional stone as conditions demand and repair and/or cleanout of any measures used to trap sediment. All sediment spilled, dropped, washed or tracked onto public rights-of-way must be removed immediately.
8. Washing - Wheels shall be cleaned to remove sediment prior to entrance onto public rights-of-way. When washing is required, it shall be done on an area stabilized with stone and which drains into an approved sediment trapping device.
9. Periodic inspection and needed maintenance shall be provided after each rain.

Storm Water Pollution Prevention Plan

- A. PURPOSE:
- The purpose of the Storm Water Pollution Prevention Plan (SWPPP) is to inform the Developer/Contractor of the following objectives they are required to meet:
- Prevent erosion where construction activities shall occur.
 - Prevent pollutants from mixing with storm water.
 - Prevent pollutants from being discharged by trapping them on-site, before they can affect the receiving waters.
 - All regulations of Missouri Department of Natural Resources are met.
 - All regulations of the Environmental Protection Agency are met.
 - All regulations of the local municipality are met.
- B. PROJECT DESCRIPTION:
- The project is located in the Belleau Creek watershed in St. Charles County, Missouri. This project disturbs approximately 1.68 acres.
- The project activities consist of the construction of a building, parking lot and new site entrances. The site will be protected by the various erosion protection measures listed below:
1. Siltation Control: The entire perimeter of the project that allows storm water to exit will have siltation control installed. Details of these devices are depicted on the detail plans prepared by Box Engineering Company, Inc.
 2. Revegetation: The site will consist of varying ground slopes, upon completion of the grading activities the slope prone to erosion will be seeded and staked to stabilize the slope and prevent erosion.
- C. MAINTENANCE AND INSPECTION:
- Regular Maintenance: Weekly inspections of the project will include: (a) The repair of any sediment (silt) fence and/or staked straw bale barriers damaged or out of place; (b) The removal of any accumulated trash and/or debris; and (c) The removal of any externally deposited waste materials.
- Periodic Inspections: Following each rain of more than 0.25 inch in 24 hours, the site will be inspected, and any necessary maintenance will be provided for a period of one year following the completion of the above remediation measures. Summaries of the maintenance and the inspections will be maintained and shall be kept available from the owner. An inspection report shall be filed and kept on site for every inspection. The report shall detail the findings of the inspection and if any action was required. The inspection form needs to include, name of the site, name of the inspector, permit number, date of inspection, major observations and actions taken to correct problems and the signature of the inspector. The inspection reports need to be kept on file by the permittee for three years after the project is completed.

Table 60.5 Soil Stabilization Schedule

Soil Disturbance Activity or Condition	Required Stabilization Time
Soil disturbance has ceased in areas greater than 2,000 square feet.	14 days
After construction of dikes, swales, diversions, and other concentrated flow areas	5 days
When slopes are steeper than 3 horizontal to 1 vertical	7 days
When slopes are greater than 3% and longer than 150 feet.	14 days
Perimeter controls around soil stockpiles.	End of workday
Stabilization or covering of inactive stockpiles.	30 days
When land disturbance is completed, permanent soil stabilization must be installed.	30 days

VEGETATION ESTABLISHMENT For Urban Development Sites APPENDIX A

SEEDING RATES:

PERMANENT:
Tall Fescue - 30 lbs./ac.
Smooth Brome - 20 lbs./ac.
Combined - Fescue @ 15 lbs./ac. AND Brome @ 10 lbs./ac.

TEMPORARY:
Wheat or Rye - 150 lbs./ac. (3.5 lbs. per s.f.)
Oats - 120 lbs./ac. (2.75 lbs. per s.f.)

SEEDING PERIODS:
Fescue or Brome - March 1 to June 1
August 1 to October 1
Wheat or Rye - March 15 to November 15
Oats - March 15 to September 15

MULCH RATES:
100 lbs. per 1000 sq. ft. (4,356 lbs. per ac.)

FERTILIZER RATES:
Nitrogen 30 lbs./ac.
Phosphate 30 lbs./ac.
Potassium 30 lbs./ac.
Lime 600 lbs./ac. ENM*

* ENM = effective neutralizing material as per State evaluation of quarried rock.

SPILL AND SITE POLLUTION:

Should an accidental spill occur refer to material safety data sheets. Any spills of hazardous materials in quantities in excess of reportable quantities as defined by EPA or the state agency regulations, shall be immediately reported to the EPA National Response Center (800-424-8802) and Missouri Department of Natural Resources (573-634-2436). Reportable spills for petroleum products is greater than 50 gallons. All other reportable hazardous materials and their quantities may be found on the website at <http://www.dnr.mo.gov> on the local number is 573-840-9750. Federal law requires the responsible party to report any release of oil if it reaches or threatens a sewer, lake, creek, stream, river, groundwater, wetlands, or area like a road ditch that drains into the above.

An emergency spill kit is required to be onsite for all potential spills.

NOTES:

SPOT ELEVATIONS REFLECT FINISH GRADE. CONTRACTOR SHALL COORDINATE WITH OWNER ON TYPE, THICKNESS AND LOCATION OF PLAYGROUND TILE TO BE INSTALLED. CONTRACTOR SHALL ADJUST CONCRETE ELEVATIONS ACCORDINGLY.



CALL BEFORE YOU DIG!
1-800-DIG-RITE

UNDERGROUND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE INFORMATION AND THEREFORE THEIR LOCATIONS SHALL BE CONSIDERED APPROXIMATE ONLY. THE VERIFICATION OF THE LOCATION OF ALL UNDERGROUND UTILITIES, EITHER SHOWN OR NOT SHOWN ON THESE PLANS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR, AND SHALL BE LOCATED PRIOR TO ANY GRADING OR CONSTRUCTION OF THE IMPROVEMENTS.

PROJECT TITLE:
Construction Plans for
Tyke Town Development Centers
8368 Mexico Road
St. Peters, MO 63376

ENGINEERING FIRM:
PLANETARY SURVEYING
221 Point West Blvd.
St. Charles, MO 63301
636-928-5522
FAX 636-928-1718



DISCLAIMER OF RESPONSIBILITY
I hereby specify that the documents intended to be authenticated by my seal are limited to this sheet, and I hereby disclaim any responsibility for other Drawings, Specifications, Estimates, Reports or other documents or instruments relating to or intended to be used for any part or parts of the architectural or engineering project or survey.

LARRY D. WALKER
PROFESSIONAL ENGINEER
11/20/18

Larry D. Walker
Civil Engineer
Engineers License No. 2007020343
Box Engineering Company, Inc.
Engineering #000655
Missouri State Certificate of Authority
Surveying #000144

REVISIONS

DATE	CITY COMMENTS
04-16-18	CITY COMMENTS
05-03-18	REV. BASIN DETAILS
05-07-18	CITY COMMENTS
09-07-18	REV. RETAIN. WALL
11-07-18	FIRE COMMENTS
11-20-18	REV. FENCE

Developer / Owner:
Tyke Town Properties, LLC
P.O. Box 81
Troy, Missouri 63379
636-462-5380

GRADING/SEDIMENT AND EROSION CONTROL PLAN

P+Z No. 17-012955
Approval Date: 02-01-18
City No. #
Page No.