

GENERAL NOTES

1. Do not scale drawing. Follow dimensions.
2. Concrete for pipe collars shall be Class A.
3. Pipe collars may be cast-in-place and of the same type and class of concrete as the pipe, or precast concrete pipe collars may be used.
4. If the pipe collar design is not applicable to the pipe being used, the Contractor shall submit to the Engineer a shop drawing showing the pipe collar design to be used.
5. For details where pipe adapts from the flared trapezoidal to horizontal elliptical endings.

SEWERING DIAGRAM FOR W-BANDS

SAINT CHARLES COUNTY
HIGHWAY DEPARTMENT
ST. CHARLES, MISSOURI

SEWER CONSTRUCTION DETAILS

PIPE COLLARS

DATE: Jan, 2015

DRAWING C604.43



GENERAL NOTES

1. Do not scale drawing. Follow dimensions.
2. All concrete curbs and sidewalk shall be constructed in accordance with Missouri Standard Specifications for Highway Construction (1990) and the St. Charles County Standard Specifications for Road and Bridge Construction.
3. Curb cut and depression shown is Pavement Detectable Details and Type "A" Curb Ramp Standard Drawing C602.01.
4. The thickness of the last section of sidewalk at each end of the curb return shall be increased to match the thickness of the pavement thickness (+).
5. Sidewalk and curbing shall be constructed on a stable subgrade, free of frost, ice, mud, debris or standing water.
6. All joints in curbing and sidewalk shall be filled with premolded bituminous material.
7. All joints in the curb and gutter, or sidewalk shall be finished to the same color as the concrete.
8. For locations of the curb ramps, see the Pavement Construction Details.
9. Curb ramps shall be constructed at each end of the curb return.
10. Curb ramps shall be constructed at each end of the curb return.
11. All curb ramps and ramps shall be constructed in accordance with these details and the Pavement Construction Details.
12. For details of curb ramps, see the Pavement Construction Details.
13. For details of curb ramps, see the Pavement Construction Details.
14. For details of curb ramps, see the Pavement Construction Details.