

NOTE: ALL PROPER SAFETY ATTIRE SHALL BE WORN WHILE WORKING WITHIN M&DOT RIGHT OF WAY LIMITS.

WATER NOTE

- ALL WATER MAINS SHALL HAVE A MINIMUM OF 42" COVER.
- DOUBLE WATER METER SETUPS WILL BE REQUIRED WITH A SINGLE SERVICE LINE TO EACH METER.
- ALL WATER MAINS THAT CROSS UNDER THE PAVEMENT OR LIE WITHIN THE 1:1 SHEAR PLANE OF THE PAVEMENT SHALL PROVIDE 1" MINUS GRANULAR BACKFILL WITHIN THE TRENCH.

UTILITIES NOTE

UNDERGROUND FACILITIES, UTILITIES AND STRUCTURES HAVE BEEN PLOTTED FROM AVAILABLE INFORMATION AND THEREFORE, THEIR LOCATION MUST BE CONSIDERED APPROXIMATE ONLY. THERE MAY BE OTHERS, THE EXISTENCE OF WHICH IS PRESENTLY NOT KNOWN. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO HAVE ALL UTILITIES LOCATED IN THE FIELD PRIOR TO EXCAVATION OR CONSTRUCTION.

PWSD#2 WATER NOTES


1. The water system shall be installed in accordance with the latest Guidelines and Specifications of Public Water Supply District No. 2 of St. Charles County.
2. Public Water Supply District No. 2 of St. Charles County specifications are on file with the Missouri Department of Natural Resources. Please refer to specifications Review Number: 6050805-13
3. Public Water Supply District No. 2 of St. Charles County requires a minimum of one (1) week's notice prior to beginning construction of water mains.

WATER CIRCLE NOTES

- 1 FIRE HYDRANT WITH VALVE, PER DETAILS ON SHEET 56
- 2 8"x8"x8" TEE
- 3 8"x8"x6" TEE
- 4 8" - 6" REDUCER
- 5 8" WATER VALVE
- 6 6" WATER VALVE
- 7 90° BEND
- 8 45° BEND
- 9 22.5° BEND
- 10 11.25° BEND
- 11 WATER MAIN TERMINATION, SEE DETAILS ON 56.

PROJECT TITLE
**IMPROVEMENT PLANS
 THE VILLAGES AT
 MONTRACHET
 WATER PLAN**

PICKETT, RAY & SILVER INC
 CIVIL ENGINEERING, LAND SURVEYING,
 AND NATURAL RESOURCES SERVICES
 St. Peters
 22 Richmond Center Court
 St. Peters, MO 63376
 Phone (636) 397-1211 Fax (636) 397-1104
 www.prsinc.com 1-800-708-3818



Developer / Owner Information
MONTRACHET DEVELOPMENT LLC
 218 Chesterfield Towne Centre
 Chesterfield, Missouri 63005
 Phone: 636-550-6900

P+Z No. 15-15.01
 City No. 15-742-SP
 Page No. **18 of 63**

City of O'Fallon Standard Subdivision Notes and Details - June 2010

PWSD #2 APPROVED 12/30/15

CITY OF O'FALLON APPROVED 01/25/16

DCSD APPROVED 11/30/15 PERMIT NUMBER 2015-2-005