



STRUCTURE TYPE	STRUCTURE NUMBER	STREET NAME	STREET STATION	OFFSET	STREET GRADE	INLET CAPACITY	15 YR ACTUAL FLOW	15 YR INLET BYPASS
0	07	SPRING BOURGHOUS DRIVE	18+95.12	17.5'	L.P.	4.00cfs	3.41cfs	0.00cfs
0	08	SPRING BOURGHOUS DRIVE	18+25.12	17.5'	L.P.	4.00cfs	2.85cfs	0.00cfs
0	11	SPRING BOURGHOUS DRIVE	14+51.82	17.5'	L.P.	4.00cfs	2.79cfs	0.00cfs
0	12	SPRING BOURGHOUS COURT	1+51.82	17.5'	L.P.	4.00cfs	3.00cfs	0.00cfs
0	17	SPRING BOURGHOUS DRIVE	22+68.36	17.5'	3.5%	1.39cfs	1.39cfs	0.00cfs
0	19	SPRING BOURGHOUS DRIVE	14+85.00	17.5'	L.P.	4.00cfs	1.89cfs	0.00cfs
0	20	SPRING BOURGHOUS DRIVE	14+85.00	17.5'	L.P.	4.00cfs	1.38cfs	0.00cfs
0	25	SPRING BOURGHOUS DRIVE	12+12.27	17.5'	3.0%	1.57cfs	1.02cfs	0.00cfs
0	26	SPRING BOURGHOUS DRIVE	12+12.27	17.5'	3.0%	1.57cfs	0.96cfs	0.00cfs
0	29	RIVER HOLLOW DRIVE	0+39.67	36.0'	L.P.	4.00cfs	1.17cfs	0.00cfs
0	30	RIVER HOLLOW DRIVE	3+29.67	36.0'	2.0%	1.93cfs	0.87cfs	0.00cfs
0	34	SPRINGBEACH DRIVE	2+79.50	17.5'	L.P.	4.00cfs	3.51cfs	0.00cfs
0	35	SPRINGBEACH DRIVE	2+79.50	17.5'	L.P.	4.00cfs	1.80cfs	0.00cfs
0	37	SPRING BOURGHOUS DRIVE	8+56.83	17.5'	L.P.	4.00cfs	0.93cfs	0.00cfs
0	38	SPRING BOURGHOUS DRIVE	8+56.83	17.5'	L.P.	4.00cfs	0.93cfs	0.00cfs
0	39	SPRING RIVER DRIVE	0+22.11	17.0'	L.P.	4.00cfs	0.96cfs	0.00cfs
0	41	SPRING RIVER DRIVE	1+78.00	17.0'	4.0%	1.21cfs	0.75cfs	0.00cfs
0	43	SPRING RIVER DRIVE	3+66.00	17.0'	2.0%	1.93cfs	0.60cfs	0.00cfs
0	45	SPRING BOURGHOUS DRIVE	3+80.58	17.5'	L.P.	4.00cfs	0.98cfs	0.00cfs
0	47	RIVER HOLLOW DRIVE	8+04.80	17.0'	2.0%	1.93cfs	1.89cfs	0.00cfs
0	59	SPRING BOURGHOUS DRIVE	3+80.58	17.5'	L.P.	4.00cfs	0.72cfs	0.00cfs
0	64	SPRINGHURST PARKWAY	13+73.50	22.5'	L.P.	4.00cfs	0.78cfs	0.00cfs
0	65	SPRINGHURST PARKWAY	13+73.50	22.5'	L.P.	4.00cfs	2.88cfs	0.00cfs
0	70	SPRING TRACE	2+95.84	17.5'	L.P.	4.00cfs	3.15cfs	0.00cfs
0	71	SPRING TRACE	2+95.84	17.5'	L.P.	4.00cfs	2.28cfs	0.00cfs
0	73	SPRINGHURST PARKWAY	11+22.50	22.5'	L.P.	4.00cfs	0.69cfs	0.00cfs
0	74	SPRINGHURST PARKWAY	11+22.50	22.5'	L.P.	4.00cfs	2.13cfs	0.00cfs
0	76	SPRING FOREST DRIVE	0+43.03	17.0'	5.0%	2.08cfs	1.23cfs	0.00cfs
0	78	SPRINGHURST PARKWAY	7+00.00	26.23'	L.P.	4.00cfs	0.63cfs	0.00cfs
0	79	SPRING CREEK LANE	0+51.22	17.0'	1.0%	2.28cfs	1.14cfs	0.00cfs
0	81	SPRING CREEK LANE	1+15.56	36.0'	5.0%	0.85cfs	0.57cfs	0.00cfs
0	82	SPRING CREEK LANE	2+10.56	36.0'	4.5%	1.03cfs	0.57cfs	0.00cfs
0	84	SPRING CREEK LANE	4+00.56	36.0'	3.1%	1.53cfs	0.99cfs	0.00cfs
0	86	SPRING CREEK LANE	5+90.56	36.0'	3.1%	1.53cfs	1.05cfs	0.00cfs
0	88	SPRING CREEK LANE	7+80.56	36.0'	2.0%	1.93cfs	0.90cfs	0.00cfs
0	92	SPRING CREEK LANE	11+32.31	36.0'	L.P.	4.00cfs	1.56cfs	0.00cfs
0	97	SHADY ROCK LANE	4+14.35	17.5'	2.0%	1.93cfs	1.83cfs	0.00cfs
0	98	SHADY ROCK LANE	4+15.50	17.5'	2.0%	1.93cfs	1.98cfs	0.00cfs
0	100	SPRING FOREST DRIVE	4+14.27	17.0'	3.0%	1.57cfs	0.57cfs	0.00cfs
0	101	WILDOAK DRIVE	1+37.46	17.5'	2.0%	6.60cfs	3.00cfs	0.00cfs
0	102	WILDOAK DRIVE	1+37.46	17.5'	2.0%	6.60cfs	3.00cfs	0.00cfs
0	103	SHADY ROCK LANE	1+35.35	17.5'	5.0%	2.08cfs	1.26cfs	0.00cfs
0	104	SHADY ROCK LANE	1+36.50	17.5'	5.0%	2.08cfs	1.26cfs	0.00cfs
0	107	SPRING FOREST DRIVE	6+27.00	17.0'	3.1%	1.53cfs	1.14cfs	0.00cfs
0	122	SPRINGHURST PARKWAY 2	25+32.77	17.5'	L.P.	4.00cfs	1.10cfs	0.00cfs
0	123	SPRINGHURST PARKWAY 2	25+32.77	17.5'	L.P.	4.00cfs	0.95cfs	0.00cfs
0	124	ENGLISH IVY	0+46.72	19.4'	3.5%	1.39cfs	1.38cfs	0.17cfs
0	125	ENGLISH IVY	0+47.80	17.5'	3.5%	4.32cfs	2.87cfs	0.00cfs
0	126	SPRINGHURST PARKWAY 2	23+12.29	17.5'	3.0%	1.57cfs	0.69cfs	0.00cfs
0	129	SPRING TRACE	10+63.98	17.5'	4.0%	1.21cfs	0.24cfs	0.00cfs
0	130	SPRING TRACE	10+63.98	17.5'	4.0%	1.21cfs	1.21cfs	0.26cfs
0	133	ALLEY B	4+04.29	14.5'	L.P.	4.00cfs	2.86cfs	0.00cfs
0	134	ALLEY B	3+22.87	14.5'	2.5%	1.75cfs	1.75cfs	1.15cfs
0	135	SHADY ROCK LANE	15+04.26	17.5'	2.5%	5.84cfs	2.64cfs	0.00cfs
0	136	SHADY ROCK LANE	14+90.68	17.5'	2.5%	1.75cfs	1.36cfs	0.00cfs
0	138	WILDOAK DRIVE	10+50.00	17.5'	L.P.	4.00cfs	0.78cfs	0.00cfs
0	139	WILDOAK DRIVE	10+50.00	17.5'	L.P.	4.00cfs	1.82cfs	0.00cfs
0	140	ALLEY A	0+30.55	14.5'	1.0%	2.28cfs	2.22cfs	0.00cfs
0	143	SPRINGHURST PARKWAY 2	23+12.29	17.5'	3.0%	1.57cfs	1.57cfs	0.41cfs
0	144	SPRING MANOR	0+43.94	18.14'	4.0%	3.56cfs	1.68cfs	0.00cfs
0	145	SPRING MANOR	0+43.94	17.5'	4.0%	3.56cfs	2.13cfs	0.00cfs
0	149	SPRINGHURST PARKWAY 2	20+89.16	17.5'	3.0%	5.08cfs	2.07cfs	0.00cfs
0	151	ALLEY C	2+98.52	14.5'	2.5%	5.84cfs	2.58cfs	0.00cfs
0	152	SHADY ROCK LANE	10+17.16	17.5'	4.0%	1.21cfs	1.21cfs	0.29cfs
0	153	SHADY ROCK LANE	10+17.16	17.5'	4.0%	1.21cfs	0.66cfs	0.00cfs
0	155	SPRING FOREST COURT	2+86.90	36.0'	3.0%	1.57cfs	1.11cfs	0.00cfs
0	157	ENGLISH IVY	5+74.01	17.5'	2.5%	1.75cfs	1.11cfs	0.00cfs
0	158	ENGLISH IVY	5+74.01	17.5'	2.5%	1.75cfs	1.29cfs	0.00cfs
0	162	SHADY ROCK LANE	15+85.68	17.5'	L.P.	4.00cfs	0.99cfs	0.00cfs
0	163	SHADY ROCK LANE	15+85.68	17.5'	L.P.	4.00cfs	0.95cfs	0.00cfs
0	164	ALLEY C	3+93.52	14.5'	L.P.	4.00cfs	2.25cfs	0.00cfs
0	165	WILDOAK DRIVE	15+64.13	17.5'	L.P.	4.00cfs	1.88cfs	0.00cfs
0	166	WILDOAK DRIVE	15+64.13	17.5'	L.P.	4.00cfs	0.90cfs	0.00cfs
0	168	ALLEY A	7+22.34	14.5'	2.0%	1.93cfs	1.35cfs	0.00cfs
0	171	WILDOAK DRIVE	14+80.79	17.5'	2.5%	1.75cfs	1.05cfs	0.00cfs
0	172	ALLEY A	7+57.93	14.5'	L.P.	4.00cfs	1.17cfs	0.00cfs
0	173	ALLEY A	5+09.84	14.5'	1.5%	2.11cfs	0.96cfs	0.00cfs
0	175	SPRING CREEK LANE	16+10.00	17.0'	L.P.	4.00cfs	0.93cfs	0.00cfs
0	177	SPRING CREEK LANE	14+53.80	17.0'	2.0%	1.93cfs	1.14cfs	0.00cfs
0	184	ALLEY E	1+25.57	14.5'	L.P.	4.00cfs	1.80cfs	0.00cfs
0	186	ALLEY E	4+14.88	14.5'	2.0%	1.93cfs	0.84cfs	0.00cfs
0	187	ENGLISH IVY	8+44.45	17.5'	2.0%	1.93cfs	0.40cfs	0.00cfs
0	188	ENGLISH IVY	8+53.82	17.5'	2.0%	1.93cfs	0.81cfs	0.00cfs
0	189	ALLEY C	6+45.65	14.5'	L.P.	4.00cfs	1.44cfs	0.00cfs
0	191	WILDOAK DRIVE	20+18.26	17.5'	1.5%	2.11cfs	1.05cfs	0.00cfs
0	193	ALLEY A	11+96.10	14.5'	1.5%	2.11cfs	0.75cfs	0.00cfs
0	198	SPRINGHURST PARKWAY 2	27+70.53	17.5'	L.P.	4.00cfs	0.93cfs	0.00cfs
0	199	SPRINGHURST PARKWAY 2	27+70.53	17.5'	L.P.	4.00cfs	0.98cfs	0.00cfs
0	201	SUNFLOWER MANOR	0+55.25	17.5'	3.4%	1.42cfs	1.42cfs	0.02cfs
0	202	SUNFLOWER MANOR	0+55.25	17.5'	3.4%	1.42cfs	1.38cfs	0.00cfs
0	204	SPRINGHURST PARKWAY 2	30+62.50	17.5'	L.P.	4.00cfs	2.07cfs	0.00cfs
0	205	SPRINGHURST PARKWAY 2	30+62.50	17.5'	L.P.	4.00cfs	1.50cfs	0.00cfs
0	211	SPRINGHURST PARKWAY 2	37+78.97	17.5'	L.P.	4.00cfs	3.00cfs	0.00cfs
0	212	SPRINGHURST PARKWAY 2	37+78.97	17.5'	L.P.	4.00cfs	2.76cfs	0.00cfs
0	216	MARIGOLD MEADOWS	0+92.00	17.5'	4.0%	1.21cfs	1.17cfs	0.00cfs
0	217	MARIGOLD MEADOWS	0+92.00	17.5'	4.0%	1.21cfs	1.17cfs	0.00cfs
0	219	DAFFODIL TRAILS	0+92.00	17.5'	4.0%	1.21cfs	1.20cfs	0.00cfs
0	220	DAFFODIL TRAILS	0+92.00	17.5'	4.0%	1.21cfs	1.20cfs	0.00cfs
0	222	BROOK FOREST DRIVE	3+98.72	17.0'	1.5%	2.11cfs	1.14cfs	0.00cfs
0	227	BROOK FOREST DRIVE	2+32.47	17.0'	1.5%	2.11cfs	0.57cfs	0.00cfs
0	230	SPRINGHURST PARKWAY	7+00.00	26.24'	L.P.	4.00cfs	1.17cfs	0.00cfs
0	231	BROOK SPRING LANE	3+94.33	36.0'	L.P.	4.00cfs	1.38cfs	0.00cfs
0	233	SPRINGHURST PARKWAY	3+83.33	34.5'	L.P.	4.00cfs	0.00cfs	0.00cfs
0	234	SPRINGHURST PARKWAY	3+83.33	34.5'	L.P.	4.00cfs	0.00cfs	0.00cfs

STORM SEWER SCHEDULE

ISSUE REMARKS DATE

- 03-02-05 FIRST SUBMITTAL
- 04-04-05 REVISED PER DCSO COMMENTS
- 05-23-05 REVISED PER CITY OF OTTALION COMMENTS
- 05-27-05 REVISED PER DCSO COMMENTS
- 06-09-05 REVISED PER FINCO #2 COMMENTS
- 06-27-05 REVISED PER FINCO #2 COMMENTS
- 07-14-05 REVISED PER FINCO COMMENTS
- 08-08-05 REVISED PER CITY OF OTTALION COMMENTS

PREPARED FOR: **SPRINGHURST, L.L.C.**
5091 NEW BAUMGARTNER ROAD
ST. LOUIS, MISSOURI 63129
(314) 487-6717

THE **STERLING** CO.
ENGINEERS & SURVEYORS
5065 NEW BAUMGARTNER ROAD
ST. LOUIS, MISSOURI 63129
(314) 487-2440 FAX: 487-4840
E-Mail: Sterling@sterling-engr.com

PROJECT: **THE VILLAGES AT SPRINGHURST**
SHEET TITLE: DRAINAGE AREA MAP

NO. **03 12 269**
M.S.D. SHEET
P# **7.2**
SHEET
OF

BASE MAP
PC#2804