



NOTE
Underground utilities and structures have been plotted from available information and therefore, their location must be considered approximate only. It is the responsibility of the individual contractors to notify the utility companies before actual construction.



- GRADING NOTES
- Siltation control will be provided as required to prevent run-off.
 - Siltation control shall be silt fence and/or straw bales placed end to end and anchored with no less than 3' long x 2"x1" wooden stakes. Upon completion of storm sewers, straw bales shall be placed on all sides of structures and shall remain until all graded areas are seeded or sodded.
 - All straw bales must be countersunk a minimum of 3" and additional straw bales shall be placed at the direction of the city.
 - The contractor shall field investigate the entire site prior to his bid submit noting the existing vegetation and trees and including the removal and disposal of same in his bid.
 - No area shall be cleared without permission of the developer.
 - All grade shall be within 0.2 feet more or less of those shown on the grading plan.
 - No slope shall be greater than 3:1 and shall be either sodded or seeded or mulched.
 - The contractor shall restore offsite construction areas to an equal or better condition than existed prior to commencement of construction.
 - Earth subgrade for paved areas must be compacted to a minimum 90% of maximum dry density as determined by the Modified AASHTO T-180 Compaction Test or 95% of maximum density as determined by the Standard Proctor Test AASHTO T-99. All filled places in proposed roads shall be compacted from the bottom of the fill up. All test shall be verified by a soils engineer concurrent with grading and backfilling operations and must be approved by a City Representative before paving may commence. Owner to provide a copy of the soils report to the grading contractor. Contractor shall be responsible for adhering to all recommendations outlined in the soils report.
 - Soil preparation and revegetation shall consist of Tall Fescue (TF) & Smooth Brome (SB) between March 1st and June 1st, at a rate of TF=30lbs/AC & SB=20lbs/AC. See Appendix A of the Model Sediment and Erosion Control Regulations for Urban Development.
 - Proposed phasing of development (rough dates) including:
 - April 07 - May 07
 - May 07 - Aug. 07
 - Aug. 07 - Sept. 07
 - Clearing (estimated duration of exposed area).
 - Grading and construction (installation of temporary sediment control, storm drainage, paving).
 - Final Grading and Landscaping (vegetative cover).
 - Where natural vegetation is removed during grading, vegetation shall be re-established in such a density as to prevent erosion. Permanent type grasses shall be established as soon as possible or during the next seeding period after grading has been completed. Refer to Appendix A of St. Charles Soil and Water Conservation District - Model Sediment and Erosion Control Regulations.
 - When grading operations are completed or suspended for more than 14 days, permanent grass must be established at sufficient density to provide erosion control on the site. Between permanent grass seeding periods, temporary cover shall be provided according to the designated officials recommendation. Refer to Appendix A of St. Charles Soil and Water Conservation District - Model Sediment and Erosion Control Regulations.
 - Developer must supply city construction inspectors with soil reports prior to or during site construction. The soil report will be required to contain the following information on soil test curves (Proctor reports) for projects within the city:
 - Optimum moisture content
 - Maximum and minimum allowable moisture content
 - Curve must be plotted to show density from a minimum of 90% compaction and above as determined by the "Modified AASHTO T-180 Compaction Test" (A.S.T.M.-D-1157) or from a minimum of 95% as determined by the "Standard Proctor Test AASHTO T-99, Method C" (A.S.T.M.-D-998). Proctor type must be designated on document.
 - Curve must have at least 5 density points with moisture content and sample locations listed on document.
 - Specific gravity
 - Natural Moisture content
 - Liquid limit
 - Plastic limit. Be advised that if this information is not provided to the City's Construction Inspector the City will not allow grading or construction activities to proceed on any project site.
 - Erosion control systems shall be inspected and necessary corrections made within 24 hours of any rainstorm resulting in one-half inch of rain or more.
 - Rip rap shown at flared ends will be evaluated in the field after installation for effectiveness and field modified if necessary to reduce erosion on and off site.
 - All filled places under proposed roads, proposed sanitary and storm sewer lines, and/or paved areas including trench backfills shall be compacted to 90% of maximum density as determined by the "Modified AASHTO T-180 Compaction Test" or 95% of maximum density as determined by the Standard Proctor Test AASHTO T-99. All filled places in proposed roads shall be compacted from the bottom of the fill up. All tests shall be verified by a soils engineer concurrent with grading and backfilling operations. Ensure the moisture content of the soil in fill areas is to correspond to the compactive effort as defined by the Standard or Modified Proctor Test. Optimum moisture content shall be determined using the same test that was used for compaction. Soil compaction curves shall be submitted to the City of O'Fallon prior to the placement of fill. Proof rolling may be required to verify soil stability at the discretion of the City of O'Fallon.
 - Site shall comply with Phase II Storm Water Guidelines of the City of O'Fallon.
 - Grades for entrances shall not exceed 2% at walks, 4% from street and 10% overall. Typically 2% from back of curb through the right of way is desired.

PICKETT RAY & SILVER
CIVIL ENGINEERS
PLANNERS
LAND SURVEYORS

333 Mid Rivers Mall Drive
St. Peters, MO 65376
Phone (636) 397-1211
Fax (636) 397-1104


Walgreens
STORE #11422
IMPROVEMENT PLANS
HWY K & TECHNOLOGY OF FALLON, MISSOURI
Prepared For:
PACE PROPERTIES, INC.

REVISONS	NO.	DATE	DESCRIPTION
	1	09-06-07	PER WALGREENS COMMENTS
	2	09-08-07	PER CITY OF O'FALLON COMMENTS
	3	09-03-07	PER DUCKETT CREEK SEWER & PWS#2
	4	05-21-07	PER DEVELOPER
	5	05-29-07	PER FIRE DISTRICT
	6	06-22-07	PER FIRE DISTRICT

ENGINEERS AUTHENTICATION
The responsibility for professional engineering liability on this project is hereby limited to the set of plans authenticated by the seal, signature, and date hereunder attached. Responsibility is disclaimed for all other engineering plans involved in this project and specifically excludes revisions after this date unless reauthenticated.

PICKETT RAY & SILVER, INC.
Professional Engineer
No. 10000
Name: STEVE WALKER
Number: 10000
Professional Engineer

DRAWN: B.L.P. DATE: 01-31-07
CHECKED: D.L.S. DATE: 01-31-07
PROJECT # 01045.PAPR.00C
TASK # 2 FIELD BOOK 2001A



A TRACT OF LAND BEING LOT 2 OF QUIKTRIP 632 SUBDIVISION AS RECORDED IN PLAT BOOK 36 PAGE 264 LOCATED IN U.S. SURVEY 1689, TOWNSHIP 46 NORTH, RANGE 3 EAST ST. CHARLES COUNTY, MISSOURI

NOT APPROVED FOR CONSTRUCTION