



BASEMENT FLOOR PLAN @ ELEV. 445
 Scale: 3/8" = 1'-0"

- NOTE:
- 1) Files are not shown for clarity. See sheets 23 & 24.
 - 2) Eyebolts and Eyebolt anchor assemblies shall be capable of sustaining a 3000 lbs working loading.
 - 3) Contractor shall furnish one 1 1/2 ton portable Gantry crane complete with chain hoist (1 1/2 ton). Crane and chain hoist shall conform to applicable CMAA standards.

EPA PROJECT NO. C291090		Rev. 2-82 MKK
GBA GEORGE BUTLER ASSOCIATES CONSULTING ENGINEERS/ARCHITECTS LANDSCAPE ARCHITECTS-PLANNERS	OFFICES: SUITE 305A FAIRWAY OFFICE CENTER 4210 JOHNSON DRIVE / SHAWNEE MISSION / KANSAS 66205 1100 CITY CENTER SQUARE 1100 MAIN / KANSAS CITY / MISSOURI 64105 SUITE 134 LAKESIDE PLAZA II 6700 CORPORATE DRIVE / KANSAS CITY / MISSOURI 64120	
	WASTEWATER TREATMENT PLANT EXPANSION BIO-FILTER BUILDING BASEMENT FLOOR PLAN CITY OF O'FALLON, MISSOURI	
DESIGNED BY: W.C.C.	DRAWN BY: C. Raja	CHECKED BY: W.A.C.
JOB NO. 79-2065	DATE July 30, 1981	SCALE 3/8" = 1'-0"
SHEET NO. 20		OF 88