

PAVEMENT DRAIN NOTE:
 1. PRIVATE STORM SEWER INLET STRUCTURES IN PAVEMENT AREAS SHALL BE INSTALLED WITH "A" PERFORATED PAVEMENT UNDERDRAINS PER DETAIL ON SHEET C8.3.


LINE/TYPE LEGEND

ELECTRIC LINE	---
WATER LINE	---
GAS LINE	---
TELEPHONE LINE	---
EXISTING GRADE	---
PROPOSED GRADE	---
HYDRAULIC GRADE	---
PROPOSED PAVEMENT	---
GRANULAR BACKFILL	---
COMPACTED FILL	---

1. ALL R.C.P. SHALL BE CLASS III UNLESS NOTED OTHERWISE.
 2. ALL P.V.C. SHALL BE SDR 35 UNLESS NOTED OTHERWISE.
 3. ALL H.D.P.E. PIPE SHALL BE N-12WT UNLESS NOTED OTHERWISE.
- NOTE: ENGINEER APPROVED SHOP DRAWINGS MUST BE SUBMITTED TO THE CITY FOR REVIEW PRIOR TO CONSTRUCTION.

SCALE: 1"=40' HORIZ.
 1"=10' VERT.

WATERMARK APARTMENTS AT O'FALLON
 CRUSHER ROAD & WELDON SPRING ROAD
 CITY OF O'FALLON, ST. CHARLES COUNTY, MISSOURI 63366



REVISIONS:

1	01/16/2020	- 60% PRINTING
2	01/16/2020	- PERMIT SET
3	03/25/2020	- REVISED PER OWNER / CITY UTILITY COMMENTS
4	04/17/2020	- ADDENDUM A

DRAWN BY:	T.S.J.M.B.	CHECKED BY:	G.M.S.
DATE:	01/16/2019	JOB NO.:	219-6494