


PLAN VIEW



SECTION A-A

DOUBLE INLET REPLACEMENT DETAIL

NOTES:

1. THE CONTRACTOR SHALL FIELD VERIFY ALL EXISTING STRUCTURE DIMENSIONS PRIOR TO CONSTRUCTING SET-OVER DOUBLE INLET STRUCTURE.
2. THE CONTRACTOR SHALL FOLLOW ALL APPLICABLE MSD STANDARDS FOR THE CONSTRUCTION OF THE SET-OVER DOUBLE INLET STRUCTURE.
3. PRECAST CONCRETE UNIT "A" SHALL BE USED IF CONCRETE BASE IS POURED-IN-PLACE. PRECAST CONCRETE UNIT "B" SHALL BE USED IF BASE IS PRECAST.
4. THE DEPTH OF THE SET-OVER STRUCTURE SHALL BE 3' (MIN.) FROM THE TOP OF THE INLET STONE.

NOT TO SCALE



DATE PREPARED
8/14/2024
DISTRICT STATE
SL MO
SHEET NO.
29
ROUTE
WELDON SPRING
DA JOB NO.
221150
EW GATEWAY ID.
7209-22
PROJECT NO.
CMAO-7302 (691)
BRIDGE NO.
N/A

DATE	DESCRIPTION



CITY OF FALLON
100 NORTH MAIN STREET
FALLON, MO 65236
tel 886-219-5996

CONSTRUCTION DETAILS
SET-OVER
DOUBLE INLET STRUCTURE
SHEET 1 OF 1

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

REV.