

CATCH BASINS			
NO	CS IN	CS OUT	TYPE
1	1.40	1.85	Double
2	3.45	3.45	Double
3	1.60	1.87	Single
4	-	11.70	Manhole
5	1.20	11.07	Double
6	7.66	10.47	Double
7	2.81	2.81	Double
9	-	46.20	Manhole
10	0.70	7.10	Double
11	6.40	6.40	Double
12	0.90	33.10	Single
13	2.50	38.20	Double
14	0.30	35.70	Single
15	35.40	35.40	Yard Basin
16	1.00	5.72	Single
17	3.43	4.72	Double
18	0.68	1.29	Single
19	0.60	0.60	Single
20	1.91	4.58	Double
23	26.7	26.7	Double
24	0.30	18.50	Single
25	6.30	15.90	Double
26	3.00	3.00	Yard Basin
28	-	38.10	Manhole

NOTE: Calc based on 5.3 cu ft of water per 100 sq ft.

NOTE:
 1. There shall be granular fill under all paved areas.
 2. All Street pavement widths are to be 26 feet.

TYPICAL STREET SECTION

NOTE:
 All manholes, fire hydrants, and valves (etc) to be located to avoid sidewalks.


REVISED 11-5-73
 Add Energy Dissipator 10-18-73
 Delete 10-18-73
 Change signs 11-5-73
 Update Utility Energy Drawings 11-5-73

WESTBROOK MANOR

Sheet 4 of 9 Date 9-18-73


HOR. 1"=50'
 Scale VERT. 1"=10'
 Drawn by

METTS and LONG
 SURVEYING & ENGINEERING CO.
 421 TERRA LANE WEST 272-6680
 O'FALLON, MISSOURI 63366



SCALE: 1"=50'

NORTH



DATE	
BY	
SURVEYED	
NOTED	
CHECKED	
STRUCTURE NOTATIONS CIPED	

