


**DA #1**  
SINGLE FAMILY  
9.71 Ac @ 2.64 = 25.63 c.f.s.  
MULTI-FAMILY  
7.19 Ac @ 3.30 = 23.73 c.f.s.

**DA #2**  
SINGLE FAMILY  
45.99 Ac @ 2.64 = 121.41 c.f.s.  
MULTI-FAMILY  
9.04 Ac @ 3.30 = 29.83 c.f.s.  
COMMERCIAL  
12.31 Ac @ 3.85 = 47.39 c.f.s.

**DA #3**  
SINGLE FAMILY  
5.16 Ac @ 2.64 = 13.62 c.f.s.  
MULTI-FAMILY  
8.87 Ac @ 3.30 = 29.27 c.f.s.  
COMMERCIAL  
2.42 Ac @ 3.85 = 9.32 c.f.s.


DA #1 TQ = 49.36 c.f.s.  
DA #2 TQ = 198.63 c.f.s.  
DA #3 TQ = 52.21 c.f.s.  
from FE 1 TQ = 40.19 c.f.s.  
from FE 14 TQ = 1.37 c.f.s.  
sheet drainage from onsite = 1.85 c.f.s.  
4.25 c.f.s.  
1.35 c.f.s.  
sheet drainage from offsite = 0.61 c.f.s.  
2.62 c.f.s.  
4.78 c.f.s.  
2.38 c.f.s.

Total discharge from West property line = 359.60 c.f.s.



OFF-SITE  
DRAINAGE AREA MAP

SCALE: 1" = 500'



THIS SHEET IS FOR  
DRAINAGE AREA  
PURPOSES ONLY, NOT  
TO BE USED AS A  
CONSTRUCTION PLAN.