




CI 4 THRU NDB 42
SCALE - HORIZ. 1" = 30'
VERT. 1" = 10'




TEE 41 THRU NDB 43 (PRIVATE)
SCALE - HORIZ. 1" = 30'
VERT. 1" = 10'




NDB 40 THRU NDB 44
SCALE - HORIZ. 1" = 30'
VERT. 1" = 10'




MH 39 THRU CO 47
SCALE - HORIZ. 1" = 30'
VERT. 1" = 10'




MH 39 THRU NDB 55
SCALE - HORIZ. 1" = 30'
VERT. 1" = 10'



MH 39 THRU NDB 55
SCALE - HORIZ. 1" = 30'
VERT. 1" = 10'



NDB 49 THRU NDB 60
SCALE - HORIZ. 1" = 30'
VERT. 1" = 10'



EXISTING MANHOLE THRU FES 68
SCALE - HORIZ. 1" = 30'
VERT. 1" = 10'


PROVIDE A MARKING ON THE STORM SEWER INLETS. THE CITY WILL ALLOW THE FOLLOWING MARKERS AND ADHESIVE PROCEDURES ONLY AS SHOWN IN THE TABLE BELOW OR AN APPROVED EQUAL BY ALMETEX INDUSTRIES. "PEEL AND STICK" ADHESIVE PADS WILL NOT BE ALLOWED.

MANUFACTURER	SIZE	ADHESIVE	STYLE	MESSAGE	WEBSITE
ACP INTERNATIONAL	3 7/8"	EPOXY	CRYSTAL CAP	"NO DUMPING DRAINS TO WATERWAYS" (SD-W-CO)	WWW.ACPINTERNATIONAL.COM
DAS MANUFACTURING, INC.	4"	EPOXY	STANDARD STYLE	"NO DUMPING DRAINS TO STREAM" (SDS)	WWW.DASMANUFACTURING.COM

REVISION NOTE:
1. NDB 55 & 60 REVISED TO 10" NID
2. REVISED AT 65 THRU FES 68 TO EX MANHOLE THRU FES 68
3. ADDED "PUBLIC" AND/OR "PRIVATE" NOTES TO ALL STORM SEWER PROFILES

NOTE:
1. ENGINEERING SURVEYS & SERVICES SHALL APPROVE ALL INLET GRATE ALTERNATES.
2. HDPE PIPE IS TO BE N-12WT OR EQUAL AND TO MEET ASTM F1417 WATERTIGHT FIELD TEST.

PLANNING & DEVELOPMENT #1804.08 APPROVED AUGUST 6, 2009
STORM SEWER PROFILES



WOODBURY PLACE
ST. CHARLES COUNTY, O'FALLON, MISSOURI

Engineering Surveys & Services
1113 Fay Street
Columbia, Missouri
573-449-2646
Missouri Engineering Corporation # 2004005018

Surveyed: -
Drawn: JCB
Checked: TOC/AM

Scale: 1" = 30' HORIZ
1" = 10' VERT

Date: DECEMBER 7, 2009

Job: 11354

Sheet: C108

Revised: 19 JAN. 2010
3 MAR. 2010