



PROJECT TITLE:
WYNDGATE MEADOWS

ENGINEERING PLANNING SURVEYING
 221 Point West Blvd.
 St. Charles, MO 63301
 636-928-5562
 FAX 636-928-1718



DISCLAIMER OF RESPONSIBILITY
 I hereby specify that the documents intended to be authorized by my seal are limited to this sheet, and I hereby disclaim any responsibility for all other Drawings, Specifications, Estimates, Reports or other documents or instruments relating to or intended to be used for any part or parts of the architectural or engineering project or survey.



Copyright © 2019
 Box Engineering Company, Inc.
 Authority No. 000655
 All Rights Reserved

REVISIONS	
08/08/19	D.C.S.D. P.W.S.D. #2 & PUBLIC COMMENTS
08/30/19	D.C.S.D. P.W.S.D. #2 & CITY COMMENTS
09/25/19	D.C.S.D. #2 & CITY COMMENTS
10/22/19	CITY COMMENTS
11/08/19	CITY COMMENTS
11/22/19	CITY COMMENTS

Developer / Owner:
 STRAQR, L.L.C.
 9645 Clayton Road
 St. Louis, MO 63124
 314-667-9400

SANITARY SEWER PROFILES

P+Z No. #18-012166
Approval Date: 06/27/2019
City No. #RSP-19-000010

Page No.
 12 of 25

- DUCKETT CREEK SANITARY DISTRICT NOTES:**
- EXISTING SANITARY SEWER SERVICE SHALL NOT BE INTERRUPTED.
 - CONSTRUCTION OF SANITARY SEWERS REQUIRES DCSD INSPECTION. CONTACT THE DCSD INSPECTION DEPARTMENT AT 636-441-1244 TO SCHEDULE INSPECTION. 48-HOUR ADVANCE NOTICE IS REQUIRED.
 - MINIMUM OF 3' COVER OVER SANITARY SEWER MAIN REQUIRED.

- CITY OF O'FALLON NOTES:**
- ALL SANITARY LATERALS AND SANITARY SEWER MAINS THAT CROSS THE PAVEMENT, LIE WITHIN (10) TEN FEET OF THE EDGE OF PAVEMENT AND/OR THE 1:1 SHEAR PLANE OF THE PAVEMENT MUST HAVE PROPER GRANULAR ROCK BACKFILL AND REQUIRED COMPACTION.
 - ALL SANITARY SEWER LATERALS SHALL BE A MINIMUM SCHEDULE 40 PIPE MATERIAL, FROM THE SEWER MAIN TO THE BUILDING, UNLESS THE SEWER DISTRICT HAS A HIGHER MINIMUM AT WHICH THAT MATERIAL SHALL BE USED.