





NOTES:

1. ROUTE ACCESS ROAD AROUND POWER POLES. MAINTAIN 12' WIDE ROAD WHEN ROUTING AROUND POLES.
2. STRIP 2" OF SOIL AND VEGETATION, SHAPE SUBGRADE TO LINES AND GRADES INDICATED. PROOFROLL SUBGRADE TO IDENTIFY SOFTSPOTS OR VEGATABLE MATERIAL. MIRIFI 400X, OR EQUAL, FOUNDATION FABRIC SHALL BE PLACED OVER SOFT SPOTS.

GRAVEL ACCESS ROAD

1/4"=1'-0"

A — B5,B6,B7,B8,B9

NO.	BY	CK	APP	REVISIONS AND RECORD OF ISSUE
				DATE
				CYGNET ID: 97515-310-C-T00001HSM
				SAVED: 3/6/2002 1:52:52 PM
				DWG VER #: 1.12
				PLOTTED: HUL32202, 3/5/2002 2:19:47 PM
				USER: HUL32202

XREF1 ID: 97515-300-C-T00000EBE
XREF2 ID: 97515-300-C-T00000EBF
XREF3 ID: 97515-300-C-T00000F99
XREF4 ID: 97515-310-C-T00001PPJ
XREFS ID:
SW: ACAD-2000i

STATE OF MISSOURI — JOHN M. WEAVER — NUMBER E-26299 — REGISTERED PROFESSIONAL ENGINEER — 3-7-02

BLACK & VEATCH Corporation
Kansas City, Missouri

CITY OF O'FALLON, MISSOURI
WELL FIELD AND RAW WATER TRANSMISSION MAIN

STA 72+00 TO EOP

DESIGNED: BPF
DETAILED: DPH,CSA
CHECKED: RFS
APPROVED: KMN
DATE: 3-7-02

PROJECT NO.
97515

B9

SHEET
10 OF 15

F05000
D5000