


CARRIAGE HILLS
SUBDIVISION - PHASE ONE
FLAT PLAN



NOTE: MINIMUM VERTICAL DISTANCE FROM BASEMENT ELEV. S TO THE FLOWLINE OF SANITARY SEWER AT CORRESPONDING HOUSE CONNECTIONS SHALL NOT BE LESS THAN THE DIAMETER OF THE SANITARY SEWER PLUS A VERTICAL DISTANCE NOT LESS THAN TWO AND ONE-HALF (2 1/2) FEET.

TEMPORARY TRAFFIC HAZARD MARKERS TO BE INSTALLED AT THE END OF PAVEMENTS OF WHITE CHAPEL DRIVE AND CARRIAGE TRAIL COURT. SEE GENERAL NOTE 25, SHEET 1.

NOTE:
UNDERGROUND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE INFORMATION AND THEREFORE THEIR LOCATIONS MUST BE CONSIDERED APPROXIMATE ONLY. THE VERIFICATION OF LOCATION OF ALL UNDERGROUND UTILITIES, EITHER SHOWN OR NOT SHOWN ON THESE PLANS, IS THE RESPONSIBILITY OF THE CONTRACTOR.

TERRA ASSOCIATES		JOB NO. 120485
1821 SHERMAN DRIVE ST. CHARLES, MISSOURI 63303 PHONE: (314) 724-2277 or 946-2886		SCALE: AS SHOWN
PROJECT DESCRIPTION		DATE: 07/31/87
CLIENT		DRAWN BY: MM
SHEET NO. 4		