

9203

UPP STR	LOW STR	L	DIA	UPPER FL LN	LOWER FL LN	PS	UPPER ST EL	DEPTH NY GR	UPPER NY EL	LOWER NY EL	HYDR GRADE	FR HEAD	VEL	VEL HEAD	JUNC LOSS	TURN LOSS	CURVE LOSS	STR GRADE	INL CAP	OR AREA	PI	Q	TQ	PIPE CAP	REMARKS
CI51	FE50	120.00	12	471.12	462.00	7.00	476.20	4.08	463.19	463.00	.00120	0.14	1.54	0.04	0.05	0.00	0.00	4	1.21	0.54	2.64	1.21	1.21	9.82	1
AI49	AI48	144.00	12	472.11	468.51	2.50	477.10	3.99	470.57	469.51	.00570	0.82	3.43	0.18	0.24	0.00	0.00	35	8.25	1.02	2.64	2.69	2.69	5.63	2
AI48	CI47	125.50	15	468.31	467.05	1.00	473.50	3.94	469.36	468.59	.00430	0.54	3.46	0.19	0.10	0.13	0.00	35	8.25	0.59	2.64	1.56	4.25	6.47	3
CI47	CI46	34.00	15	466.85	466.51	1.00	478.55	9.96	468.59	468.13	.00710	0.24	4.45	0.31	0.22	0.00	0.00	4	1.21	0.58	2.64	1.21	5.46	6.46	4
CI46	CI45	177.71	15	466.31	464.53	1.00	478.55	10.42	468.13	465.78	.01070	1.89	5.44	0.46	0.27	0.19	0.00	4	1.21	0.59	2.64	1.21	6.67	6.47	5
CI45	FE44	128.13	18	464.33	462.00	1.82	470.50	4.67	464.74	463.50	.00730	0.94	5.09	0.40	0.08	0.22	0.00	LOW	4.00	0.63	2.64	2.33	9.00	14.17	6
AI43	CI42	105.01	12	484.00	482.97	1.00	489.00	4.00	484.33	483.97	.00250	0.25	2.25	0.08	0.11	0.00	0.00	45	11.00	0.67	2.64	1.77	1.77	3.56	7
CI42	CI41	39.67	12	482.77	482.37	1.01	488.74	4.97	483.90	483.37	.00690	0.27	3.77	0.22	0.23	0.03	0.00	LOW	4.00	0.45	2.64	1.19	2.96	3.58	8
CI41	CI40	68.04	12	482.17	481.49	1.00	488.82	5.65	483.21	482.49	.00790	0.54	4.04	0.25	0.06	0.12	0.00	2	1.93	0.08	2.64	0.21	3.17	3.56	9
CI40	AI39	90.00	12	481.29	480.03	1.40	489.99	7.70	482.43	481.03	.01080	0.97	4.71	0.34	0.17	0.26	0.00	2	1.93	0.20	2.64	0.53	3.70	4.22	10
AI39	FE38	40.00	15	479.83	479.43	1.00	485.10	4.02	480.87	480.68	.00480	0.19	3.66	0.21	-0.04	0.04	0.00	35	8.25	0.50	2.64	0.79	4.49	6.46	11
CI37	AI36	108.05	18	462.70	461.62	1.00	467.50	2.01	465.49	465.32	.00090	0.10	1.78	0.05	0.07	0.00	0.00	LOW	4.00	1.11	2.64	3.15	3.15	10.50	12
AI36	FE35	38.83	18	461.42	461.03	1.00	468.00	2.68	465.32	465.02	.00270	0.11	3.11	0.15	0.16	0.03	0.00	35	8.25	0.89	2.64	2.35	5.50	10.53	13
CI34	CI33	34.00	12	479.80	479.46	1.00	484.83	4.03	480.67	480.46	.00270	0.09	2.36	0.09	0.12	0.00	0.00	2	1.93	0.70	2.64	1.85	1.85	3.56	14
CI33	AI32	120.00	12	479.26	472.78	5.40	484.83	4.57	474.62	473.78	.00570	0.68	3.43	0.18	0.16	0.00	0.00	2	1.93	0.52	2.64	0.84	2.69	8.28	15
AI32	FE31	48.48	12	467.85	463.00	10.00	477.80	8.95	465.97	465.02	.01190	0.57	4.94	0.38	0.34	0.04	0.00	35	8.25	0.45	2.64	1.19	3.88	11.27	16
CI30	CI26	56.06	12	495.51	493.69	3.25	500.51	4.00	494.76	494.69	.00060	0.04	1.15	0.02	0.03	0.00	0.00	4	1.21	0.34	2.64	0.90	0.90	6.42	17
AI29	CI23	120.15	12	484.00	482.80	1.00	489.00	4.00	484.88	483.80	.00660	0.80	3.69	0.21	0.28	0.00	0.00	45	11.00	1.10	2.64	2.90	2.90	3.56	18 ITP
AI28	CI27	109.35	12	495.00	493.91	1.00	500.00	4.00	495.39	494.91	.00320	0.35	2.56	0.10	0.13	0.00	0.00	45	11.00	0.76	2.64	2.01	2.01	3.56	19 ITP
CI27	CI26	98.28	12	493.71	492.73	1.00	500.66	5.95	494.49	493.73	.00560	0.55	3.40	0.18	0.14	0.07	0.00	2	1.93	0.25	2.64	0.66	2.67	3.56	20
CI26	CI25	34.00	15	492.53	492.19	1.00	498.69	4.96	493.73	493.44	.00360	0.12	3.17	0.16	0.04	0.13	0.00	2	1.93	0.12	2.64	0.32	3.89	6.46	21
CI25	MH24	43.33	15	491.99	491.56	0.99	498.69	5.45	493.27	492.81	.00570	0.25	3.97	0.24	0.15	0.06	0.00	2	1.93	0.37	2.64	0.98	4.87	6.44	22
MH24	CI23	198.87	15	491.36	484.70	3.35	496.30	3.69	487.20	485.95	.00570	1.13	3.97	0.24	0.00	0.12	0.00	-	0.00	0.00	2.64	0.00	4.87	11.82	23 ITP
CI23	CI22	180.22	15	482.60	475.67	3.85	490.03	6.18	481.11	476.92	.01810	3.26	7.08	0.78	0.77	0.16	0.00	2	1.93	0.35	2.64	0.92	8.69	12.67	24
CI22	AI21	99.93	15	475.47	469.17	6.30	481.00	4.28	474.24	470.42	.02710	2.71	8.67	1.17	0.71	0.40	0.00	LOW	4.00	0.74	2.64	1.95	10.64	16.22	25
AI21	FE20	103.84	15	468.97	463.00	5.75	474.50	4.28	469.11	465.02	.03060	3.18	9.21	1.32	0.29	0.62	0.00	35	8.25	0.25	2.64	0.66	11.30	15.49	26
OS19	FE18	50.00	24	459.80	459.30	1.00	466.00	4.20	461.64	461.00	.00410	0.20	4.60	0.33	0.44	0.00	0.00	-	0.00	0.00	2.64	0.00	14.45	22.62	27
CI17	AI11	131.27	12	477.07	473.13	3.00	483.10	5.03	475.22	474.13	.00630	0.82	3.59	0.20	0.27	0.00	0.00	LOW	4.00	1.07	2.64	2.82	2.82	6.17	28
AI16	AI15	62.93	12	495.63	495.00	1.00	501.40	4.77	496.40	496.00	.00380	0.24	2.79	0.12	0.16	0.00	0.00	35	8.25	0.83	2.64	2.19	2.19	3.56	29
AI15	CI14	126.19	15	494.80	493.54	1.00	500.30	4.25	495.77	494.79	.00530	0.67	3.85	0.23	0.23	0.08	0.00	45	11.00	0.96	2.64	2.53	4.72	6.45	30
CI14	CI13	34.67	15	493.34	492.99	1.01	500.88	6.29	494.77	494.24	.00810	0.28	4.73	0.35	0.22	0.03	0.00	2	1.93	0.41	2.64	1.08	5.80	6.49	31
CI13	AI12A	115.00	15	492.79	486.70	5.30	500.75	6.71	489.35	487.95	.01020	1.18	5.33	0.44	0.17	0.05	0.00	2	1.93	0.28	2.64	0.74	6.54	14.87	32
AI12A	AI12	101.39	15	486.50	478.39	8.00	492.00	4.25	481.69	479.64	.01590	1.61	6.64	0.68	0.44	0.00	0.00	35	8.25	0.61	2.64	1.61	8.15	18.27	33
AI12	AI11	110.03	15	478.19	473.13	4.60	483.70	4.26	478.47	474.38	.02810	3.09	8.82	1.21	0.93	0.07	0.00	35	8.25	1.01	2.64	2.67	10.82	13.85	34
AI11	FE10	45.00	15	469.48	467.00	5.51	478.40	7.67	473.85	469.24	.05460	2.46	12.30	2.35	1.93	0.22	0.00	35	8.25	0.55	2.64	1.45	15.09	15.16	35
CI9	AI8	107.16	12	472.36	467.64	4.40	477.40	4.04	471.52	470.57	.00640	0.68	3.62	0.20	0.27	0.00	0.00	LOW	4.00	1.07	2.64	2.82	2.84	7.48	36
AI8	FE7	68.41	12	467.44	466.00	2.10	472.50	1.93	470.57	469.24	.01250	0.85	5.07	0.40	0.34	0.14	0.00	35	8.25	0.44	2.64	1.16	3.98	5.17	37
OS6	FE5	48.00	24	464.80	464.32	1.00	470.10	3.30	461.39	461.00	.00250	0.12	3.38	0.20	0.27	0.00	0.00	-	0.00	0.00	2.64	0.00	11.25	22.62	38
FE4	CI3	83.47	12	495.72	489.42	7.55	0.00	0.00	491.86	490.58	.01020	0.85	4.57	0.32	0.43	0.00	0.00	-	0.00	1.36	2.64	3.59	3.59	9.79	39
CI3	CI2	48.00	15	489.22	488.74	1.00	495.36	4.78	490.58	489.99	.00730	0.35	4.50	0.31	0.14	0.10	0.00	2	1.93	0.80	2.64	5.52	5.52	6.46	40
CI2	FF1	68.00	15	488.54	487.86	1.00	495.36	5.57	489.82	489.11	.00800	0.54	4.71	0.34	0.06	0.11	0.00	2	1.93	0.10	2.64	5.78	5.78	6.46	41

