



*THE ASPHALT SURFACE SHALL BE COMPACTED TO 98% MAXIMUM DENSITY.
THE ROCK BASE SHALL BE COMPACTED TO 100% MAXIMUM DENSITY.



PROJECT TITLE:
O'FALLON JUNIOR
RENEGADES

ENGINEERING
PLANNING
SURVEYING
221 Point West Blvd.
St. Charles, MO 63301
636-928-5552
FAX 636-928-1718



DISCLAIMER OF RESPONSIBILITY
I hereby specify that the documents intended to be authorized by my seal are limited to this project, and I hereby disclaim any responsibility for all other drawings, specifications, estimates, reports or other documents or instruments relating to or intended to be used for any part or parts of the architectural or engineering project or subproject.

CLIFFORD L. HEITMANN
NUMBER E-23847
Clifford L. Heitmeh
Civil Engineer
023817

Copyright 2012
Box Engineering Company, Inc.
Engineering Authority No. 000655
Surveying Authority No. 000144
All Rights Reserved

REVISIONS	
09/21/12	CITY COMMENTS

Developer / Owner:
O'FALLON JUNIOR RENEGADES
P.O. BOX 1721
O'FALLON, MO 63366

REFERENCE DETAILS

P+Z No.
#1702.08 - Sept. 6, 2012
City No.
#

Page No.
4 of 4